

SECTION 08305 - ACCESS DOORS

A. SUMMARY

1. [Wall] [Fire-rated wall] access doors.
2. [Ceiling] [Fire-rated ceiling] access doors.

B. QUALITY ASSURANCE

1. Fire-Rated Access Door Standard: NFPA 80.

C. MATERIALS

1. Insulated, Fire-Rated Doors:
 - a. Material: [Steel] [Zinc-coated steel] [Stainless steel].
 - b. Fire-Rating: [One and one-half hours for walls] [One hour for ceilings] [Three hours for ceilings].
2. Noninsulated, Fire-Rated Doors: [Steel] [Zinc-coated steel] [Stainless steel], One and one-half hours for walls.
3. Flush Doors with Exposed Trim Doors: [Steel] [Zinc-coated steel] [Stainless steel].
4. Trimless, Flush Doors for Gypsum Board Doors: [Steel] [Zinc-coated steel] [Stainless steel].
5. Trimless, Flush Doors for Plaster: [Steel] [Zinc-coated steel] [Stainless steel].
6. Trimless, Recessed Doors for Gypsum Board Assemblies: [Steel] [Zinc-coated steel] [Stainless steel].
7. Recessed Doors for Plaster: [Steel] [Zinc-coated steel] [Stainless steel].
8. Recessed Doors for Acoustical Tile Ceilings: [Steel] [Zinc-coated steel] [Stainless steel].
9. High-security steel doors.
10. Locks: [Screwdriver-operated cam] [Key-operated cylinder lock].

END OF SECTION 08305