

SECTION 08305 - ACCESS DOORS

A. SUMMARY

1. **[Wall] [Fire-rated wall]** access doors.
2. **[Ceiling] [Fire-rated ceiling]** access doors.

B. QUALITY ASSURANCE

1. Fire-Rated Access Door Standard: NFPA 80.

C. MATERIALS

1. Insulated, Fire-Rated Doors:
 - a. Material: **[Steel] [Zinc-coated steel] [Stainless steel]**.
 - b. Fire-Rating: **[One and one-half hours for walls] [One hour for ceilings] [Three hours for ceilings]**.
2. Noninsulated, Fire-Rated Doors: **[Steel] [Zinc-coated steel] [Stainless steel]**, One and one-half hours for walls.
3. Flush Doors with Exposed Trim Doors: **[Steel] [Zinc-coated steel] [Stainless steel]**.
4. Trimless, Flush Doors for Gypsum Board Doors: **[Steel] [Zinc-coated steel] [Stainless steel]**.
5. Trimless, Flush Doors for Plaster: **[Steel] [Zinc-coated steel] [Stainless steel]**.
6. Trimless, Recessed Doors for Gypsum Board Assemblies: **[Steel] [Zinc-coated steel] [Stainless steel]**.
7. Recessed Doors for Plaster: **[Steel] [Zinc-coated steel] [Stainless steel]**.
8. Recessed Doors for Acoustical Tile Ceilings: **[Steel] [Zinc-coated steel] [Stainless steel]**.
9. High-security steel doors.
10. Locks: **[Screwdriver-operated cam] [Key-operated cylinder lock]**.

END OF SECTION 08305